

## HSE NEWS working for you to keep you safe

# Latest HSE Statistics YTD 30 June2014201420142014Workplace fatalities0Non-work related fatalities0Non-accidental deaths (NADs)0Lost Time Injuries (LTIs)0All injuries (excluding first aid<br/>cases)0Motor Vehicle Incidents (MVIs)0Roll over - MVIs0Serious MVIs0Lost Time Injury Frequency (LTIF)0Life Saving Rules Violations

#### YTD 30 June

Journey management	0
Speeding/GSM	0
Seatbelts	0
Overriding safety device	0
Working at heights	0
Permit	0
Confined space	0
Lock out tag out	0
Drugs and alcohol	0
Gas testing	0
Smoking	0
Suspended Load	0
Vehicle Class A/B Defect	
YTD 30 June	
Class A	0

Class A	0
Class B	0
HSE TIP	

### Important News



PDO suffered over 300 fire incidents in the past seven years between 2008 These range from small and 2014. dust bin fires to massive process fires with huge impacts on our assets and production. Currently in 2015, more than 20 fire incidents have been registered already up to May. The causes of these fires differ but more often similar causes are common: unsafe acts (smoking), unsafe conditions (poor housekeeping), electricity (electrical appliances), vandalism and inadequate maintenance to process equipment.

#### What You Need to Know

Smoke Detectors:	Who discovers fires?:	Five incidents in a day!:
		:
Tampering with smoke	Of the 300+ fires almost	On 11 <sup>th</sup> January 2009, 5
detectors in rooms and	90% of them were only	fire incidents occurred in
offices is extremely	discovered when a person	Saih Rawl camp site. Four
dangerous and is	saw them and raised the	of them within a period of
prohibited. As such it can	alarm. In many cases fires	7 hours and a fifth later in
lead to serious	occur were detection	the day. Four due to
consequences. It is	equipment is not available	electrical faults which led
important to immediately	and in other cases where	two ceiling lights, an
report any defective	detectors are defective or	electrical switch and an
detector to management	have been removed!	exhaust fan catching fire
for your safety and the		and the fifth happened
safety of others.	•	when a worker lit a candle
		and left it to burn

|--|



PDO is in the business of producing hydrocarbons and you would be forgiven for thinking that the majority of our fires would involve processing equipment. However over half of our fires had nothing to do with our processing of hydrocarbons. The main cause of these non-process fires was from electrical appliances; tube lights catching fire was top followed by exhaust fans and then other equipment such as TVs, receivers, water coolers and heaters. Most caught fire after being left on continuously for long periods of time. From registered fire incidents in 2015 alone, almost 50% are due to electrical causes.

unattended.

ISSUE | 2 July 2015



# HSE NEWS Working for you to keep you safe

## **HSE Advice Note**

Another disturbing cause of these non-process fires is smoking and inconsiderate discarding of cigarettes butts into waste bins or skips which already contain combustible materials. These lead to the contents igniting and subsequent damage to the asset, disturbance to people, use of the firefighting resources and possible injuries. Such unfortunate behavior led to a costly fire incident in 2009 where a mechanical workshop was severly and the cause damaged was concluded to be a discarded cigarette butt. Fortunately the response to many such incidents was fast otherwise some incidents could have escalated even more.

At least 3 fires were due to acts of vandalism and sabotage. In 2011, two incidents occurred within one month where locals intentionally set waste skids on fire and in 2010, a bus driver of a contracting company working for PDO intentionally set his own bus on fire!! Another unsafe act often seen recurring is trying to force two pin socket into three pin electricity outlet. This lead to damage the socket and can lead to fires. Also, overloading many appliances onto one outlet could also lead to short circuits and subsequent fire. Fire is an exothermic reaction which radiates heat. Fires occur when the three elements of the fire triangle combine. 1. Fuel, 2. Oxygen 3. Ignition source. Ingredients in the fire triangle include: **FUELS**:

- Gases: Methane, Acetylene, Propane,
- Liquids \*: Petrol, Organic Solvents
- Solids \*: Plastics, Wood, Fibers, Metal Particles

#### OXIDIZERS

- Gases: Oxygen, Fluorine, Chlorine
- Liquids: Hydrogen Peroxide, Nitric Acid, Perchloric Acid
- Solids: Metal Peroxides, Ammonium Nitrite

#### **IGNITION SOURCE**

Sparks, Flames, Static Electricity, Heat



For more information or back issues, please access www.pdo.co.om/hseforcontractors or email Nasra Maamery (MSE/51)